

DumpsFree

Try Before You Buy

24/7 customer support, Secure shopping site



Free One year updates to match real exam scenarios



If you failed your exam after buying our products we will refund the full amount back to you.

Download a free sample of any of our exam questions and answers

Download



EASY TO PASS

If you prepare for the exams using our DumpsFree testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



<http://www.dumpsfree.com>

DumpsFree provide high-quality Dumps VCE & dumps demo free download

Exam : **C1000-004**

Title : IBM Cúram SPM V7.X
Application Developer

Vendor : IBM

Version : DEMO

NO.1 Which two statements about EVX events are true? (Choose two.)

- A. Event handlers and event raisers execute in separate transactions.
- B. Developers can define custom listeners for out-of-the-box events.
- C. EVX events implement the Strategy pattern.
- D. EVX files map events to listeners.
- E. Event filters handlers can be defined in the same class.

Answer: C,E

NO.2 Which statement about the different approachable to generating unique IDs is true?

- A. A key set must be specified when using the programmatic approach.
- B. A programmatic or model-based approach allows a developer to access the unique ID form their code once the key is generated.
- C. A dedicated BPO should be used to generate readable keys.
- D. The model-based approach should be used to generate keys from the Default KeySet.

Answer: A

NO.3 Which two statements about dynamic conditional clusters are true? (Choose two.)

- A. Dynamic conditional clusters cannot be nested for performance reasons.
- B. If a cluster is hidden when the data is submitted, default data is sent to the server.
- C. The implementation of dynamic conditional clusters uses JavaScript.
- D. If there are mandatory fields in a hidden cluster, default values are sent to the server when the data is submitted.
- E. A dynamic cluster will always be displayed when the page initially loads.

Answer: C,E

NO.4 An entity class called MyEntity includes a non-database method that is defined using the <<blank>> stereotype.

In which Java class is the method implemented?

- A. curam.fact.MyEntity
- B. curam.base.MyEntity
- C. curam.impl.MyEntity
- D. curam.intf.MyEntity

Answer: C

NO.5 You want to execute a custom SQL script called MyChanges.sql.

Which statement describes how to execute MyChanges.sql when the database is built?

- A. Add MyChanges.sql to your custom data\test folder, from where it loads automatically.
- B. Add MyChanges.sql to your custom data\test folder and reference it from a DMX file.
- C. Add MyChanges.sql to your custom folder and reference if from the database ANT script.
- D. Add MyChanges.sql to your custom folder and reference it from datamanager_config.xml.

Answer: B

NO.6 Examine the below message definition. What is the result when the runtime locale is set to

fr_CA?

```
<message name="MESSAGE_WHERE">  
  <locale country="CA" language="en">Washroom</locale>  
  <locale country="GB" language="en">Lavatory</locale>  
  <locale language="en">Restroom</locale>  
</message>
```

- A. Restroom.
- B. Washroom.
- C. An error is displayed.
- D. Lavatory.

Answer: B

NO.7 Consider this warning in the source code editor when EmployerFactory is referenced: "Discouraged access: The type EmployerFactory is not accessible due to restriction on required library EJBServer/components/core/lib/core.jar." Which annotation is EmployerFactory declared with?

- A. @AccessLevel(RESTRICTED)
- B. @AccessLevel(EXTERNAL)
- C. @AccessLevel(DEPRECATED)
- D. @AccessLevel(INTERNAL)

Answer: A