

DumpsFree

Try Before You Buy

24/7 customer support, Secure shopping site



Free One year updates to match real exam scenarios



If you failed your exam after buying our products we will refund the full amount back to you.

Download a free sample of any of our exam questions and answers

Download



EASY TO PASS

If you prepare for the exams using our DumpsFree testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



<http://www.dumpsfree.com>

DumpsFree provide high-quality Dumps VCE & dumps demo free download

Exam : **E20-559**

Title : Isilon Solutions Specialist
Exam for Storage
Administrators

Vendor : EMC

Version : DEMO

NO.1 A storage administrator has configured two SmartConnect zones on an Isilon cluster labeled ZoneA and ZoneB.

Source-Based Routing has been enabled on the cluster.

How will the outgoing network packets from the cluster be routed back to the requesting IP?

- A. Both zones will use the source IP to route the packets
- B. Both zones will use the highest priority default gateway
- C. ZoneB will route all packets through ZoneA
- D. ZoneA will route all packets through ZoneB

Answer: A

NO.2 A storage administrator needs to configure an Isilon cluster to support both UNIX and Microsoft Windows file access to the same directories. Which options, under the ACLs page, can be selected for this environment?

- A. Balanced or configure permission policies manually
- B. UNIX only or Microsoft Windows only
- C. Balanced or UNIX only
- D. Microsoft Windows only or configure permission policies manually

Answer: A

NO.3 In an Isilon environment, what is the total protection level offered by N+2:1?

- A. Two drives or one node can fail without any data loss in the cluster
- B. Two hot spare drives and one cold spare drive are available for disk failures
- C. Two hot nodes and one cold node are available for node failures
- D. Two drives on one node can fail without causing any data loss in the cluster

Answer: B

NO.4 A company has an Isilon cluster on which they want to configure dynamic pools. The cluster consists of 5 nodes. The pool will consist of one 1Gbps Ethernet external interface on each of the nodes. Because the address space is limited at the company's site, they will need to implement dynamic pools using a minimum number of addresses.

If the company puts all interfaces in one pool and sets it to dynamic with round robin failover, how many addresses need to be put into the pool to ensure an even number of IP addresses per node after failover distribution should a node fail?

- A. 4
- B. 8
- C. 15
- D. 20

Answer: D


NO.5 Which type of administrator commands does configuration auditing track?

- A. PAPI-enabled commands
- B. Commands run by the "root" user
- C. Commands run by the SystemAdmin and CompAdmin users only

D. All UNIX, isi, isi_ and sudo commands

Answer: A

NO.6 The exhibit shows the components of a conventional Hadoop environment.



Which component holds the location information for every file in the cluster?

- A. NameNode: Can comprise one or two physical servers
- B. Compute: A logical component which runs on each node
- C. Data: A physical component distributed across the cluster
- D. 3X mirror: The first three nodes in the cluster configured as a 3X mirror

Answer: A

NO.7 Which event notification options are available when setting up an Isilon cluster in an SNMP-managed environment?

- A. SMTP and SNMP
- B. HTTPS and IMAP
- C. SNMP and HTTP
- D. SMTP and HTTP

Answer: A

NO.8 Which Isilon cluster quota events can be triggered for an advisory quota?

- A. Limit exceeded and limit remains exceeded
- B. Grace period expired and write access denied
- C. Limit remains exceeded and write access denied
- D. Grace period expired and write access denied

Answer: A

NO.9 What is a benefit of storing Hadoop data on an Isilon cluster versus a traditional Hadoop environment?

- A. In-place analytics
- B. Requires 3X data mirroring
- C. NameNode resides on a single node
- D. Nodes do both computation and storage

Answer: A

NO.10 Which component is passive during LACP communication between the cluster and the Ethernet switch?

- A. Isilon
- B. Switch
- C. MAC address
- D. SmartConnect zone

Answer: A